

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("20050198287").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/23 12:07
S2	3	(trojan adj horse virus) same (web adj page link) same download same (activex COM adj object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 13:29
S5	3	US-5675520-\$.DID. OR US-6061695-\$.DID. OR US-6649714-\$.DID.	US-PGPUB; USPAT	OR	ON	2006/08/14 13:18
S6	4	US-5675520-\$.DID. OR US-6061695-\$.DID. OR US-6124856-\$.DID. OR US-6649714-\$.DID.	US-PGPUB; USPAT	OR	ON	2006/08/14 13:20
S7	1	("20030098883").PN.	US-PGPUB; USPAT	OR	OFF	2006/08/14 13:22
S8	2	((("20040083474") or ("6605120"))).PN.	US-PGPUB; USPAT	OR	OFF	2006/08/14 13:26
S9	1	("6366912").PN.	US-PGPUB; USPAT	OR	OFF	2006/08/14 13:26
S10	14	("6366912").URPN.	USPAT	OR	ON	2006/08/14 13:27
S11	15	("5678041" "5684951" "5696898" "5796942" "5828893" "5835726" "5919247" "5930792" "5940843" "5958005" "5958051" "5963142" "5987611" "5991878" "6154751").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/14 13:28
S12	70	(trojan adj horse virus) same (web adj page link) same download	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 13:54
S13	39	(trust) same (web adj page link) same download	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:35
S14	1	("6324553").PN.	US-PGPUB; USPAT	OR	OFF	2006/08/14 14:04
S15	5	("6324553").URPN.	USPAT	OR	ON	2006/08/14 14:05

EAST Search History

S16	22	("5339389" "5826025" "5835722" "5845084" "5848418" "5860074" "5862325" "5870559" "5890164" "5890172" "5893109" "5896502" "5907681" "5918224" "5918237" "5930808" "5959623" "5987504" "6032182" "6088717" "6122657" "6226642").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/14 14:08
S17	716	((726/23) or (726/24)).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/08/14 14:39
S18	411	(726/23).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/08/14 14:08
S19	59	S17 and trust	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:09
S20	181	S17 and trust\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:10
S21	184	S17 and trust\$9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:10
S22	0	("6804780").URPN.	USPAT	OR	ON	2006/08/14 14:25
S23	34	("5077677" "5359659" "5361359" "5485409" "5485575" "5572643" "5579509" "5606668" "5623600" "5638446" "5692047" "5692124" "5720033" "5724425" "5740248" "5761421" "5765205" "5784459" "5796952" "5805829" "5832208" "5832274" "5850559" "5859966" "5864683" "5892904" "5951698" "5956481" "5974549" "5978484" "5983348" "6092194" "6154844" "6339829").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/14 14:25
S24	59	("5974549").URPN.	USPAT	OR	ON	2006/08/14 14:29
S25	11	("5263147" "5305456" "5414833" "5483649" "5524238" "5603014" "5611048" "5638513" "5748888" "5764889" "5768503").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/14 14:30
S26	45	("6092194").URPN.	USPAT	OR	ON	2006/08/14 14:31

EAST Search History

S27	21	("5077677" "5361359" "5485409" "5485575" "5572643" "5623600" "5638446" "5692047" "5692124" "5720033" "5724425" "5740248" "5761421" "5765205" "5784459" "5796952" "5805829" "5832208" "5850559" "5864683" "5892904"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/14 14:34
S28	75	(trust\$10) same (web adj page link) same download not S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:41
S29	2	(trust adj level) same (web adj page link) same download same object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:38
S30	2	(trust adj level) same (web adj page link) same download\$3 same (object activeX applet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:38
S31	636	(726/22).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/08/14 14:39
S32	198	S31 and trust\$10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:40
S33	25	(trust\$10) same (web adj page link) same download\$3 same certificate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:58
S34	0	(trust\$10) same (web adj page link) same download\$3 same certificate same upgrade	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:59

EAST Search History

S35	18	(trust\$10) same download\$3 same certificate same upgrade	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/14 14:59
S36	13	("6341373").URPN.	USPAT	OR	ON	2006/08/14 15:00
S37	10	(trust adj level certificate access adj list) with popup	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 15:18
S38	992	(trust adj level certificate access adj list) with link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 15:19
S39	40	(trust adj level certificate access adj list) with link same web adj page	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 15:41
S40	376	(trust adj level certificate access adj list) with link same secur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 15:42
S41	206	(trust) with link same secur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 15:42
S42	190	(trust) with link same secur\$4 and (internet web)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 15:43
S43	11	(trust) with link same secur\$4 same (internet web)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 15:45

EAST Search History

S44	842	link with virus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 15:46
S45	18	link with virus with web	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/15 15:46
S46	19	trust adj level same upgrade	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 17:18
S47	1	("6341373").PN.	US-PGPUB; USPAT	OR	OFF	2006/08/16 17:18
S48	13	("6341373").URPN.	USPAT	OR	ON	2006/08/16 20:39
S49	2	modal adj prompt and modeless adj prompt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 20:39
S50	8	modal adj prompt modeless adj prompt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 20:39
S51	1920	(726/22-24).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/23 01:36
S52	312	S51 and (@pd > "20070307")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/23 01:37
S53	1	("6167520").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/23 12:07


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used: **trust web page download applet**

Found 99 of 211,032

Sort results by

Display results

[Save results to a Binder](#)[Search Tips](#)
☐ Open results in a new window
[Try an Advanced Search](#)[Try this search in The ACM Guide](#)


Results 1 - 20 of 99

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [next](#)Relevance scale ☐ ☐ ☐ ☐ ☐**1** [Techniques for trusted software engineering](#)

Premkumar T. Devanbu, Philip W-L Fong, Stuart G. Stubblebine

 April 1998 **Proceedings of the 20th international conference on Software engineering ICSE '98**
Publisher: IEEE Computer Society


Full text available:

[Publisher Site](#)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**2** [Security issues surrounding programming languages for mobile code: JAVA vs. Safe-Tcl](#)**Tcl**

Stefanos Gritzalis, George Aggelis

 April 1998 **ACM SIGOPS Operating Systems Review**, Volume 32 Issue 2
Publisher: ACM Press

Full text available:

Additional Information: [full citation](#), [abstract](#), [references](#)


JAVA is claimed to be a system programming language having a number of advantages over traditional programming languages. These advantages stem from the fact that it is a platform - independent language, thus promising truly network oriented computing as long as a nearly universal system for distributing applications. On the other hand, although being an interpreted, much simpler, scripting language, Safe-Tcl was proposed as an executable contents type of MIME and thus as the standard language f ...


3 [Security issues in distributed software](#)

Richard A. Kemmerer

 November 1997 **ACM SIGSOFT Software Engineering Notes , Proceedings of the 6th European conference held jointly with the 5th ACM SIGSOFT international symposium on Foundations of software engineering ESEC '97/FSE-5**, Volume 22 Issue 6
Publisher: Springer-Verlag New York, Inc., ACM Press

Full text available:

Additional Information: [full citation](#), [references](#), [index terms](#)**4** [Using the WWW as the delivery mechanism for interactive, visualization-based instructional modules \(report of the ITiCSE '97 working group on visualization\)](#)

-  Thomas Naps, Joseph Bergin, Ricardo Jiménez-Peris, Myles F. McNally, Marta Patiño-Martínez, Viera K. Proulx, Jorma Tarhio
June 1997 **The supplemental proceedings of the conference on Integrating technology into computer science education: working group reports and supplemental proceedings ITiCSE-WGR '97**

Publisher: ACM Press

Full text available:  pdf(85.85 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

- 5 [Using the WWW as the delivery mechanism for interactive, visualization-based instructional modules: report of the ITiCSE '97 working group on visualization](#)

 Thomas Naps, Joseph Bergin, Ricardo Jiménez-Peris, Myles F. McNally, Marta Patiño-Martínez, Viera K. Proulx, Jorma Tarhio


October 1997 **ACM SIGCUE Outlook**, Volume 25 Issue 4

Publisher: ACM Press

Full text available:  pdf(1.57 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Visualization has long been an important pedagogical tool in CS education. The widespread use of the Web and the introduction of Java, with its ability to present interactive animated applets and other types of animation, all provide opportunities to expand the availability of visualization-based teaching and learning tools. In addition, the Web introduces new opportunities not available in traditional settings. We start by identifying the types of learning objectives that can be supported by vis ...

- 6 [Javelin++: scalability issues in global computing](#)

 Michael O. Neary, Sean P. Brydon, Paul Kmiec, Sami Rollins, Peter Cappello

June 1999 **Proceedings of the ACM 1999 conference on Java Grande JAVA '99**

Publisher: ACM Press

Full text available:  pdf(1.34 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

- 7 [Programming languages for mobile code](#)

 Tommy Thorn

September 1997 **ACM Computing Surveys (CSUR)**, Volume 29 Issue 3


Publisher: ACM Press

Full text available:  pdf(393.65 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Sun's announcement of the programming language Java more than anything popularized the notion of mobile code, that is, programs traveling on a heterogeneous network and automatically executing upon arrival at the destination. We describe several classes of mobile code and extract their common characteristics, where security proves to be one of the major concerns. With these characteristics as reference points, we examine six representative languages proposed for mobile code. The conclusion ...

Keywords: Java, Limbo, Objective Caml, Obliq, Safe-Tcl, distribution, formal methods, mobile code, network programming, object orientation, portability, safety, security, telescript

- 8 [Security for Web Applications and P2P: Certified email with a light on-line trusted third party: design and implementation](#)

 Martín Abadi, Neal Glew

May 2002 **Proceedings of the 11th international conference on World Wide Web**

WWW '02**Publisher:** ACM PressFull text available:  pdf(189.19 KB) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

This paper presents a new protocol for certified email. The protocol aims to combine security, scalability, easy implementation, and viable deployment. The protocol relies on a light on-line trusted third party; it can be implemented without any special software for the receiver beyond a standard email reader and web browser, and does not require any public-key infrastructure.

9 HCI for Web-based development of interactive medical multimedia courseware - lessons learned



Bill Janvier

April 2000 **ACM SIGBIO Newsletter**, Volume 20 Issue 1**Publisher:** ACM PressFull text available:  pdf(355.43 KB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

This is an industrial placement project, which aimed at implementing principles from Human Computer Interaction (HCI) to develop a usable interactive Web Site for the Central Manchester Healthcare NHS Trust. Some of the lessons learned from this experience are reported here in the article. This report starts with an appraisal of how learning develops to outline the components required in any learning package. The development life cycle has been outlined, starting with defining problem specificati ...

10 Integrating open hypermedia systems with the World Wide Web



Kenneth M. Anderson


April 1997 **Proceedings of the eighth ACM conference on Hypertext HYPERTEXT '97****Publisher:** ACM PressFull text available:  pdf(1.00 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: Chimera, World Wide Web, intergration, open hypermedia systems

11 Customization 1: Automation and customization of rendered web pages



Michael Bolin, Matthew Webber, Philip Rha, Tom Wilson, Robert C. Miller

October 2005 **Proceedings of the 18th annual ACM symposium on User interface software and technology UIST '05****Publisher:** ACM PressFull text available:  pdf(804.45 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

On the desktop, an application can expect to control its user interface down to the last pixel, but on the World Wide Web, a content provider has no control over how the client will view the page, once delivered to the browser. This creates an opportunity for end-users who want to automate and customize their web experiences, but the growing complexity of web pages and standards prevents most users from realizing this opportunity. We describe Chickenfoot, a programming system embedded in the Fir ...

Keywords: web automation, web browsers

12 Eleven SSH tricks

Daniel R. Allen

August 2003 **Linux Journal**, Volume 2003 Issue 112

Publisher: Specialized Systems Consultants, Inc.

Full text available:  [html\(20.23 KB\)](#) Additional Information: [full citation](#), [abstract](#)

You know it's the secure way to connect to your server. But OpenSSH is fast and convenient too.

13 Trusted paths for browsers



Zishuang (Eileen) Ye, Sean Smith, Denise Anthony

May 2005 **ACM Transactions on Information and System Security (TISSEC)**, Volume 8 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(265.37 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Computer security protocols usually terminate in a computer; however, the human-based services which they support usually terminate in a human. The gap between the human and the computer creates potential for security problems. We examine this gap, as it is manifested in secure Web servers. Felten et al. demonstrated the potential, in 1996, for malicious servers to impersonate honest servers. In this paper, we show how malicious servers can still do this---and can also forge the existence of an ...

Keywords: HCISEC, Trust path, Web browser security


14 Columns: Surfing the net for software engineering notes



Mark Doernhoefer

September 2002 **ACM SIGSOFT Software Engineering Notes**, Volume 27 Issue 5

Publisher: ACM Press

Full text available:  [pdf\(1.67 MB\)](#) Additional Information: [full citation](#)

15 Developing trust in internet commerce



Ildemaro Araujo, Iván Araujo

October 2003 **Proceedings of the 2003 conference of the Centre for Advanced Studies on Collaborative research CASCON '03**

Publisher: IBM Press

Full text available:  [pdf\(140.49 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Since the success of Web-based businesses depends essentially on their customers, consumers' trust is critical for Internet commerce. This article outlines essential issues that may affect customers' trust on Web sites or vendors. It also discusses key elements that can be used to improve the visitors' sense of trustworthiness on Web sites.

16 Attacks and cryptanalysis: Puppetnets: misusing web browsers as a distributed attack infrastructure



V. T. Lam, S. Antonatos, P. Akritidis, K. G. Anagnostakis

October 2006 **Proceedings of the 13th ACM conference on Computer and communications security CCS '06**

Publisher: ACM Press

Full text available:  [pdf\(871.35 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Most of the recent work on Web security focuses on preventing attacks that *directly* harm the browser's host machine and user. In this paper we attempt to quantify the threat of browsers being *indirectly* misused for attacking third parties. Specifically, we look at how the existing Web infrastructure (e.g., the languages, protocols, and security policies) can be exploited by malicious Web sites to remotely instruct browsers to orchestrate actions

including denial of service attacks, ...

Keywords: distributed attacks, malicious software, web security

17 Multicast shared virtual worlds using VRML97



John A. Carson, Adrian F. Clark

February 1999 **Proceedings of the fourth symposium on Virtual reality modeling language VRML '99**

Publisher: ACM Press

Full text available: pdf(1.34 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: IP multicasting, MBone, Virtual Reality Modelling Language (VRML), World Wide Web, multi-user virtual reality, shared virtual worlds

18 Mobile code: Empowering mobile code using expressive security policies



V. N. Venkatakrishnan, Ram Peri, R. Sekar

September 2002 **Proceedings of the 2002 workshop on New security paradigms NSPW '02**

Publisher: ACM Press

Full text available: pdf(853.33 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Existing approaches for mobile code security tend to take a conservative view that mobile code is inherently risky, and hence focus on confining it. Such confinement is usually achieved using access control policies that restrict mobile code from taking any action that can potentially be used to harm the host system. While such policies can be helpful in keeping "bad applets" in check, they preclude a large number of useful applets. We therefore take an alternative view of mobile code security, ...

Keywords: code transformation, mobile code security, security policies

19 Software security and privacy risks in mobile e-commerce



Anup K. Ghosh, Tara M. Swaminatha

February 2001 **Communications of the ACM**, Volume 44 Issue 2

Publisher: ACM Press

Full text available: pdf(90.58 KB) Additional Information: [full citation](#), [appendices and supplements](#), [references](#), [cited by](#), [index terms](#)
 html(38.81 KB)

20 Why web-based network monitoring? Leveraging the platform



Ron D. Jenkins

May 1999 **International Journal of Network Management**, Volume 9 Issue 3

Publisher: John Wiley & Sons, Inc.

Full text available: pdf(494.08 KB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

The increasing use of network monitoring and the growth of the Internet and intranets are converging trends that make IP network infrastructures the logical means of delivering network monitoring, using browser -based clients. Copyright © 1999 John Wiley & Sons, Ltd.

Results 1 - 20 of 99

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [next](#)

ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)